Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S8	8	amount adj time adj3 exceed\$3 adj3 (temperature voltage)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/16 08:47
S31	3	amount adj time adj3 exceed\$3 with (chip ic integrated)	US-PGPUB; USPAT; USOCR	OR	OFF.	2007/03/13 08:22
S32	440	time adj3 exceed\$3 with (chip ic integrated)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 08:19
S33	0	amount adj time adj3 exceed\$3 near3 (temp temperature voltage power) with (chip ic integrated)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 08:23
S34	31	time adj3 exceed\$3 near3 (temp temperature voltage power) with (chip ic integrated)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 08:38
S35	344	duration near3 (temperature voltage) near3 exceed\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 08:39
S36	4	duration near3 (temperature voltage) near3 exceed\$3 with (chip ic integrated)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 09:07
S37	303	duration near3 (temperature voltage) with (chip ic integrated)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 09:35
S38	9	S37 and g06f\$	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 09:07
S39	344	duration near3 (temperature voltage) near3 exceed\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 09:07
S40	11	S39 and g06f\$	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 09:07
S41	0	(saves records) near3 duration near3 (temperature voltage) with (chip ic integrated)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 09:36
S42	15	(saves records) near3 duration near3 (temperature voltage)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 09:59
S43	127	(saves saving record\$3) near3 duration near3 (temperature voltage)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 09:59
S44	13	S43 and g06f\$	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 10:19

S45	71	duration near3 (temperature voltage) near exces\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 10:24
S46	3	S45 and g06f\$	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 10:20
S47	20682	duration near3 (temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 10:26
S48	51	duration near3 (temperature) near3 stored	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 10:28
S49	1	S48 and g06f\$	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 10:26
S50	19	duration near3 (temperature) near3 (saving storing)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 10:36
S51	28	elapsed adj3 during adj4 temperature	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 10:42
S52	1264	sensor\$1 near3 temperature near3 chip	US-PGPUB; USPAT; USOCR	OR	OFF .	2007/03/13 10:44
S53	74	S52 and g06f\$	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 11:19
S54	0	(recording saving) adj3 legnth adj2 time adj3 temperature	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 11:20
S55	3	(recording saving) adj3 length adj2 time adj3 temperature	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 11:21
S56	262	(recording saving) adj3 time adj3 temperature	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 11:21
S57	2	S56 with (chip ic integrated)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 11:22
S58	7	S56 and g06f\$	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 11:23
S59	79	optimiz\$3 near3 application\$1 near3 temperature	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 11:25

3/16/2007 1:53:56 PM C:\Documents and Settings\mcribbs\My Documents\EAST\Workspaces\paver.wsp Page 2

S60	0	S59 near3 (previous history)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 11:24
S61	55	optimiz\$3 adj3 application\$1 near3 temperature	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 13:52
S62	143	based adj3 temperature near3 application	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 11:27
S63	5	S62 and g06f\$	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 11:27
S64	2459	correlat\$3 adj5 application	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 11:30
S65		S64 near3 recorded	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 11:34
S66	3410	control\$4 near3 application\$1 near4 temperature	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 11:46
S67	52	S66 with (chip ic integrated)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 11:35
S68	45	control\$4 near3 application\$1 near4 based adj3 temperature	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 11:37
S69	0	control\$4 near3 application\$1 near4 ((historical history previous\$3) near temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 11:57
S70	35	application\$1 near4 ((historical history previous\$3) near temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 11:58
S71	8	application\$1 near4 ((stored recorded) near temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 12:16
S72	73	(application\$1 program\$1 instruction\$1) near4 ((stored recorded) near temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 12:17
S73	4	S72 and g06f\$	US-PGPUB; USPAT <u>;</u> USOCR	OR	OFF	2007/03/13 12:16
S74	331	execut\$3 near3 (application\$1 program\$1 instruction\$1) near3 (temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 12:18

S75	5	execut\$3 near3 (application\$1 program\$1 instruction\$1) near3 (based adj3 temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 12:19
S76	73	control\$4 near3 execut\$3 near3 (based adj3 temperature)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 12:24
S77	. 22	correlat\$3 near3 (application instruction program) near3 temperature	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 12:28
S78	· 98	execut\$3 adj3 based adj3 temperature	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 13:52
S79	2	S78 same (chip ic integrated)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 13:59
S80	7798	(temperature thermal) adj2 sensor\$1 with (ic chip integrated semiconductor)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 14:00
S81	312	control\$4 near3 (temperature thermal) adj2 sensor\$1 with (ic chip integrated semiconductor)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 14:01
S82	3	processing near3 control\$4 near3 (temperature thermal) adj2 sensor\$1 with (ic chip integrated semiconductor)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 14:02
S83	34	S81 and g06f\$	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 14:02
584	235	watts.in. and g06f\$	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/16 08:47
S85	42	watts.in. and g06f\$ and "713".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/16 08:48